

Beamer

Beamer is the class that deals with presentations. Go to [beamer](#) to learn more.

Articles

Journals classes

Revtex

IUCR

Pour JAC:

- Liste à puce 1 seul fichier .tex ;
- les figures dans le même répertoire ;
- pas de subfigures ; (packages non supportés: subfig, subfigure, subcaption - en tout cas on n'a pas encore trouvé. La classe iucr a le bon goût de redéfinir l'environnement figure...)
- 1 seul fichier .bib.
- se compile avec latex, ou pdflatex si on donne l'option "pdf" à la classe.

Make your own package

Open a file "my_own_notations.sty"

```
%% some stuff ...

% get home variable
\def\newtemp{ }%
\newcommand{\getenv}[2][ ]{%
  \CatchFileEdef{\temp}{"|kpsewhich --var-value #2"}{ }%
  \StrGobbleRight{\temp}{1}[\newtemp]% Delete the trailing whitespace
  character
  \if\relax\detokenize{#1}\relax\temp\else\edef#1{\newtemp}\fi%
}%

%=====
%partial derivatives
\newcommand{\pade}[2]{\frac{\partial #1}{\partial #2}}
```

```
%% some other stuff ...
```

Put this file in a folder "texmf/tex/latex/local/my_own_notations.sty".

You you shell rc (~/.bashrc , ~/.zshrc , etc), export this path:

```
export TEXMFHOME=path to the previous folder/texmf
```

Now you can use it as any other package.

From:

<https://portail.emse.fr/dokuwiki/> - **DOC**

Permanent link:

<https://portail.emse.fr/dokuwiki/doku.php?id=recherche:latex:start>

Last update: **24/07/2018 14:08**

